

# BGO1001A05-LC2

Version: A1 2016-10-24

Order Code: BGO1001A05-LC2

**Bencent Composite Product** 

Exterior

## Size DesignΦ8×7mm

Features


- High Current Handling Capability 5,000A @ 8/20 μ s
- Low Capacitance and Insertion Loss
- Fast Response and Long Service Life
- Reliable to Protect Electrostatic Surge
- Moisture sensitivity level: Level 1
- Current Limiting, available 1-40A @1200(950) VAC

## **Application Information**

AC Power





#### Package (Top View)



# Agency Approvals

Icon	Description	
RoHS	Compliance with 2011/65/EU	
HF	Compliance with IEC61249-2-21:2003	
<b>6</b>	Mean lead free	





#### **Electrical Parameter**

DC Breakdown Voltage <sup>1) 2)</sup>	100V/s	>800	V
Impulse Spark-over Voltage	at 1kV/μs	for 99 % of measured values ≤2000	V
Impulse Discharge Current <sup>3)</sup>	8/20μs ±10times	5	KA
Arc Voltage	at 1A	~60	V
Insulation Resistance	DC=100V	≥1	GΩ
Capacitance at 1 MHz	$V_{DC}=0.5V$	≤1.5	pF
Weight		~1.62	g
Operating and storage Temperature		-40-125	$^{\circ}$
Marking		BGO 1001	

- 1) At delivery AQL 0.65 level II ISO 2859
- 2) In ionized mode 3) Terms and current waveforms in accordance with ITU-T Rec. K. 12; IEC 61643-21

#### Open Characteristic

Voltage Rating(V)	1200	1200	1200	1200	1200	1200	1200	950
Ampera Rating(A)	1.2	2	6	12	21.8	24	30	40
Open Time(S) Max.	5	4	2	1.5	1	1	1	1

Note: Heat shrinkable tube and encapsulating are not recommended to use on the surface of BGO product.



# BGO1001A05-LC2

Order Code: BGO1001A05-LC2

Bencent Composite Product Version: A1 2016-10-24

# Part Numbering System

BGO 1001 A05 L C 2 (1) (2) (3) (4) (5) (6)

(1)Bencent Open GDT

(2)Rated DC Breakdown Voltage, 1001:100\*10^1=1000V

(3)Surge Rating, A05: 8/20 µ s 5KA

(4)Structure, L: Axial Lead (5)Dimension, C: Φ8×7mm

(6)Pin Number, 2pin

#### **Product Characteristics**

Lead Material	Copper & Irio-nickel
Body Material	Ceramics Iron-nickelelectrode
Terminal Finish	100% Matte-Tin Plated

## **Environmental Reliability Characteristics**


Testing items	Technical standards
High Temperature Storage Test	Temperature: 125°C Time:2H
Low Temperature Storage Test	Temperature: -40°C Time:2H
Thermal Shock	Temperature:-40-125°C Cycle:50
Vibration	Frequency: 10-500Hz Amplitude: 0.15mm Time: 45mins
Resistance of soldering heat	Temperature: 260±5°C Time of dip soldering: 10s, 1time

Note: Up-screen program can be specified by customer's request via contacting Bencent service

# Solderability Test

Solderability	Solder Pot Temperature:	245°C±5°C	
Solderability	Solder Dwell Time:	4-6 seconds	

## **Product Dimensions**





REF	Mm	inch
A	62±2	$2.441 \pm 0.079$
В	7±0.5	$0.276 \pm 0.008$
С	Ф8±0.2	Ф0.315±0.008
D	Φ1.0±0.06	$\Phi 0.039 \pm 0.0024$






Order Code: BGO1001A05-LC2

Bencent Composite Product


#### Version: A1 2016-10-24

# Wave Soldering Profile


Wav	e Soldering Condition	Pb-Free assembly	
Pre	Temperature Min	100°C	
	Temperature Max	150°C	
Heat	Time (min to max)	60 – 180 secs	
Solder Pot Temperature		270℃ Max	
Solder Dwell Time		2-5 seconds	



# Package Reel Information



REF	mm	inch
W	65±3	$2.559 \pm 0.118$
P	10±1	$0.394 \pm 0.039$
A	$\Phi 340 \pm 2$ $\Phi 13.386 \pm 0.0$	
В	Φ83±2	$\Phi$ 3.268 $\pm$ 0.079
С	73±3	2.874±0.118



OUTLINE	REEL	PER CARTON (PCS)	CA	ARTON SIZE(1	nm)
OCILINE	(PCS)		L	W	Н
TAPING	700	4200	480	350	360